




KONICA MINOLTA

# AccurioPrint C2060L DATASHEET

- ✓ Colour SRA3+ digital press
- ✓ Up to 3,380 pages per hour

These first Konica Minolta production systems launched under the new Accurio brand name target small to midsize commercial printers as well as in-house print rooms and Central Reprographic Departments (CRDs). As entry-level printing systems, they offer outstanding new features including scan & print to/from USB Flash, a dual colour high-speed scanner, and the possibility to manage print jobs directly from the operating panel. CRDs will find it easy to adapt to changing document workflows in the company, enhance their overall productivity, and to extend their range of products and services by offering new, sophisticated print products.



**AccurioPrint**  
C2060L

**COLOUR PRODUCTION PRINTING SYSTEM**

# YOUR ADVANTAGES WITH AccurioPrint C2060L

## DURABLE PERFORMANCE

- AccurioPrint C2060L
- Up to 61 A4 pages per minute
- Up to 31 SRA3 pages per minute
- Up to 3,380 A4 pages per hour
- Up to 1,681 SRA3 pages per hour
- Enhanced overall scanning performance for scanning and copying
- Features of the hotfolder, printer driver, imposition are enhanced for facilitated use.
- Enhanced work efficiency helps handle short turnaround jobs.

## HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Registration-swing mechanism for accurate duplex registration
- Fusing-rolling mechanism
- For prints with maximum efficiency
- For lucrative short-run printing

## ENHANCED SCANNING PERFORMANCE

- The dual scanner scans documents in one path
- Double sheet detector
- Max. 240 ipm (A4, 300 dpi)
- Scanner capacity of 300 sheets

## READY-MADE PRINT PRODUCTS

- 20-sheet booklet making
- 50-sheet stapling
- For highest automation and enormous productivity
- For more profit in the print room


## GEARED-UP FINISHING

- Letter fold-in
- Stacking of up to 3,000 sheets
- Optional 2- & 4-hole punching
- Minimised human interaction



## ENVIRONMENTALLY SOUND

- Robust and powerful despite the compact, lightweight body with fewer parts
- Reduced power consumption with Simitri® HD E toner
- Industry-leading usage ratio of recycled PC and PET
- For reduced environmental impact
- Improved efficiency based on green values



**HIGH-END PRINT CONTROL**

- Flexible choice of controller technology: EFT® or own Konica Minolta controller
- For intuitive operation
- To save time and money



**EASE OF USE**

- Automatic density balance adjustment
- Open API/IWS support
- Scan & print to USB Flash
- Simple paper catalogue settings

**SOPHISTICATED MEDIA HANDLING**

- New banner tray
- Capable of feeding maximum 1,000 sheets of 750 mm long size in LU-202XL
- Banner size up to 1,200 x 330 mm
- Envelope printing support

**COMPREHENSIVE MEDIA PROCESSING**

- Simplex & duplex printing on paper weights of up to 300 gsm
- Envelope printing support
- Supports a wide range of embossed papers
- For highly flexible print products

**PERFECT IMAGE QUALITY**

- S.E.A.D. IV technology and 1,200 x 1,200 dpi x 8 bit resolution (equivalent to 1,200 x 3,600 dpi)
- Simitri® HD E toner technology
- For new print applications
- For growing business

**Simitri HD E**  
THE EVOLUTION OF TECHNOLOGY



## Recommended configurations



## Technical specifications

### SYSTEM SPECIFICATIONS

<b>Resolution</b>	1,200 x 1,200 dpi x 8 bit 1,200 x 3,600 dpi equivalent
<b>Paper weight</b>	62–300 gsm
<b>Duplex unit</b>	Non-stack type; 62–300 gsm
<b>Paper sizes</b>	330 x 487 mm; 330 x 1.200 mm (optional)
<b>Maximum image area</b>	323 x 480 mm
<b>Paper input capacity</b>	Standard: 1,500 sheets Max.: 4,250 sheets
<b>Paper output capacity</b>	Max.: 3,100 sheets
<b>Main unit dimensions (W x D x H)</b>	800 x 903 x 1,076 mm
<b>Main unit weight</b>	316 kg

### PRODUCTIVITY

#### AccurioPrint C2060L

<b>A4 - max. per minute</b>	61 ppm
<b>A3 - max. per minute</b>	33 ppm
<b>SRA3 - max. per minute</b>	31 ppm
<b>A4 - max. per hour</b>	3,380 pph
<b>A3 - max. per hour</b>	1,792 pph
<b>SRA3 - max. per hour</b>	1,681 pph

### CONTROLLER

<b>Internal Konica Minolta Controller</b>	IC-603 A
<b>Internal Fiery Controller</b>	IC-417

### SCANNER SPECIFICATIONS

<b>Scan speed A4</b>	Up to 240 ipm
<b>Scan modes</b>	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail
<b>Scan formats</b>	TIFF (single and multi page); PDF
<b>Scan resolution</b>	600 x 600 dpi

### COPIER SPECIFICATIONS

<b>Gradations</b>	256 gradations
<b>FCOT</b>	Less than 8 sec. (colour A4)
<b>Magnification</b>	25–400%, in 0.1% steps
<b>Multiple copies</b>	1–9,999

### ACCESSORIES

<b>Original cover</b>	OC-511
<b>Automatic document feeder</b>	DF-706
<b>Working table</b>	WT-511
<b>Heating unit for main body trays</b>	HT-511
<b>Heating unit for LU-202m/XL</b>	HT-503
<b>Bypass tray</b>	MB-506
<b>Booklet finisher</b>	FS-612
<b>Staple finisher</b>	FS-531
<b>2/4-hole punch kit for FS-612/531</b>	PK-512
<b>2-hole punch kit for FS-612/531</b>	PK-513
<b>Post inserter for FS-612/531</b>	PI-502
<b>Envelope fuser</b>	EF-103
<b>Banner tray</b>	MK-740
<b>Large capacity unit</b>	LU-202m
<b>Large capacity unit</b>	LU-202XL
<b>Output tray</b>	OT-510
<b>High capacity output tray</b>	OT-511
<b>Envelope feeding kit</b>	MK-746

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
- The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.